

ANALYSIS OF ORIGIN OF LIVING ORGNAISMS UISNG SOFTWARE TOOLS

Dr.Rajasulochana P¹, Nisha ²

Associate Professor, ² UG Student

Dept. of Genetic Engineering

BIHER, BIST, Bharath University

Chennai- 600073.

rajasulochanap.gen@bharathuniv.ac.in

ABSTRACT

The zebrafish is likewise an essential vertebrate model living being in investigative examination. It is especially eminent for its regenerative capacities and has been adjusted by specialists to create a few transgenic strains. The zebrafish is an inferred individual from the sort Danio, of the family Cyprinidae. It has a sister-bunch association with Daniokyathit. Zebrafish are additionally firmly identified with the family Devario, as exhibited by a phylogenetic tree of close species. The zebrafish was alluded to in exploratory writing as Brachydaniorerio for a long time until its reassignment to the sort Danio. As per late research, 70 for every penny of protein-coding human qualities are identified with qualities found in the zebrafish (Daniorerio), and 84 for every penny of qualities known not connected with human sickness have a zebrafish partner. Zebrafish research has as of now prompted natural advances in tumor and coronary illness look into, and is propelling our comprehension of muscle and organ improvement. Zebrafish have been utilized to check the causal quality in solid dystrophy issue furthermore to comprehend the development and arrangement of melanomas or skin diseases. In the present work, the similitudes between the genome arrangement of people and zebrafish are checked utilizing the system of various succession arrangement.

Keywords: Zebrafish; Skin diseases; Multiple succession arrangement.

INTRODUCTION

The zebrafish is likewise an imperative vertebrate model life form in exploratory examination. It is especially prominent for its regenerative capacities, and has been altered by analysts to deliver a few transgenic strains. D. rerio is a typical and helpful model living being for investigations of vertebrate advancement and quality capacity. Its utilization as a research center creature was

spearheaded by George Streisinger and associates at the University of Oregon. Its significance has been merged by fruitful substantial scale forward hereditary screens (commonly alluded to as the Tübingen/Boston screens). [1-4] The fish has a devoted online database of hereditary, genomic, and formative data, the Zebrafish Information Network (ZFIN). *D. rerio* is additionally one of only a handful few fish animal types to have been sent into space. Research with *D. rerio* has yielded propels in the fields of formative science, oncology, toxicology, conceptive studies, teratology, hereditary qualities, neurobiology, natural sciences, undeveloped cell research and regenerative solution and developmental hypothesis. Zebrafish is an imperative model framework for investigation of vertebrate advancement and a developing model framework for human infection [5-6]

An intense mix of hereditary qualities and embryology has set up the zebrafish (*Daniorerio*) as an essential model creature for the examination of vertebrate advancement, physiology, and conduct. Hereditary screens have recognized transformations in >600 qualities with key capacities in the incipient organism (Driever et al. 1996; Haffter et al. 1996). The straightforwardness and outer advancement of the developing life permit stunning controls, for example, color marking, transplantation, and in vivo time-slip imaging, that enlighten the capacity of changed qualities at the cell level (Kimmel 1989; Schier and Talbot 1998). Also, sub-atomic examination of zebrafish transformations has uncovered new qualities and quality capacities (Postlethwait and Talbot 1997; Schier and Talbot 1998). [7-12] This underlines both the capability of the framework and the need to create methodologies and bases that will encourage the cloning of qualities characterized by zebrafish transformations. [13-20]

Three methodologies have been utilized to clone mutant loci in zebrafish: insertional mutagenesis, positional cloning, and the hopeful methodology (Postlethwait and Talbot 1997; Beier 1998). The competitor approach has been utilized most broadly, and >10 loci have been cloned as applicants distinguished by criteria, for example, expression example and guide position (e.g., Schulte-Merker et al. 1994; [21-27] Talbot et al. 1995; Brand et al. 1996). Zebrafish cDNA sequencing tasks will upgrade the competitor approach by creating communicated grouping labels (ESTs) that compare to numerous new qualities. Expression examination and mapping can then evaluate these qualities as contender for transformations. As

more qualities are confined, mapping a transformation turns into a powerful strategy to test numerous hopefuls in parallel. A late study reporting the guide areas of 144 zebrafish qualities gave a premise to looking at the genomes of zebrafish and well evolved creatures (Postlethwait et al. 1998). Examination of zebrafish and mammalian quality maps [28-29]uncovered broad preservation of synteny qualities that are on the same chromosome (syntenic) in zebrafish have a tendency to have syntenic orthologs in mouse and human. This finding raised the likelihood that near examination may foresee the positions of zebrafish qualities from mammalian quality maps. Mapping of extra qualities will upgrade near mapping by (1) recognizing the areas and fringes of sections of moderated synteny, and (2) deciding the degree to which quality request is kept up inside a saved syntenic fragment.

The transient receptor potential (TRP) direct was initially depicted in the natural product fly *Drosophila melanogaster* after the distinguishing proof of a mutant fly that demonstrated a transient rather than a supported reaction to consistent light introduction (Montell and Rubin, 1989; Hardie and Minke, 1992).[28-31] Ensuing phylogenetic investigation prompted the revelation of an entire superfamily of particle channels that are monitored all through the set of all animals. The human TRP family comprises of 27 qualities grouping into six subfamilies (TRPC, TRPM, TRPV, TRPA, TRPP, and TRPL). Albeit single directs can contrast emphatically in their physiological attributes, they all share a typical structure comprising of six transmembrane areas, the pore shaping district amongst S5 and S6 furthermore, intracellular amino-and carboxytermini.

Useful channels are known not homo-or heterotetramers, showing expansive differing qualities of particle selectivity, actuation mode, and gating instruments (assessed for instance by Clapham et al., 2001; Venkatachalam and Montell, 2007; Nilius and Owsianik, 2011). Articulation of individual individuals was found in numerous tissues, underscoring their part as multifunctional cell sensor proteins. Without a doubt, utilitarian examinations of TRP particle directs uncovered their support in a wide range of tangible discernment: [32-34]thermo-, mechano-, and chemosensation, and in addition nociception and light observation (abridged in Damann et al., 2008). Another focal part of TRP channels is the upkeep of particle homeostasis and osmoregulation. In this manner they have been connected with different therapeutic conditions,

among them polycystic kidney sickness, hypomagnesemia with auxiliary hypocalcemia, idiopathic hypercalciuria, cardiovascular hypertrophy, and hypertension as only a couple of illustrations (Dietrich and Gudermann, 2011). Furthermore, numerous TRP directs are included in differing formative procedures, for example, cell passing, multiplication, axon outgrowth and direction, and additionally synaptic pliancy (Vennekens et al., 2012). [18-21]

A standout amongst the most helpful ways to deal with study the historical backdrop of paralogues is to reproduce the transformative connections utilizing orthologous arrangements. These connections are ordinarily spoken to by method for a phylogenetic tree utilizing succession information from a scope of transformative far off living beings. A phylogenetic tree is essentially an expanding chart in which every terminal component (e.g. a protein arrangement) is connected just once to one or more other protein groupings, therefore indicating a pecking order. [22-29] Trees can be established utilizing an indirectly related succession, for example, the *Drosophila* or amphioxus orthologue, and relates to a point at the base of a tree showing the developmental course. Inside branch focuses, or 'hubs', speak to putative predecessors and are associated by 'branches'. Two successions that are especially indistinguishable will be situated as neighboring outside branches and will be joined to a typical branch underneath them. Transformative trees can be built such that the length of a branch interfacing two proteins is corresponding to the quantity of buildup contrasts in the successions. Consequently, the object of phylogenetic investigation is to find the majority of the expanding connections in the tree and the branch lengths.

The paralogues situated in the paralogous areas on chromosomes 1, 9 and 19 are accepted to be remainders of two rounds of substantial scale duplication occasions including the entire genome ahead of schedule in vertebrate history. [30-37] This marvel is alluded to as the 2R speculation. The primary entire genome duplication occasion happened after an 'amphioxus stage' preceding the difference of Agnatha (jawless vertebrates, spoke to by lamprey and hagfish) and Gnathostomata (jawed vertebrates), while a second happened after the dissimilarity of Agnatha yet before the uniqueness of cartilaginous fish (spoke to by sharks) (outlined in fig. 1)




Fig. 1 Summary of 2R hypothesis

On the off chance that two or more qualities have been copied at the same time as the consequence of a piece duplication occasion, this ought to be uncovered by phylogenetic examination. In the event that the 2R speculation is right (accepting no qualities have been lost since duplication) four paralogous qualities ought to be found in people and other jawed vertebrates, for example, mice and chickens. Jawless fish, for example, hagfish, ought to just have two paralogous qualities, which are considered orthologous to the four paralogues in jawed vertebrates and the cephalochordate will have one and only; comparing to the nearest relative of the 'genealogical quality' (figure 2). The expanding example of the phylogenetic tree ought to be illustrative of the duplication occasions demonstrating the twofold forked tree topology, or the supposed 2+2 or (A,B) (C,D) topology. The age of the split of AB and CD is

the same in this way demonstrating the historical backdrop of progressive rounds of duplication (condensed in figure 2).




Fig. 2 Typical representation of the effects of two rounds of gene or genome duplication on the topology of phylogenetic tree

MATERIALS USED

DATABASES USED:

NCBI: NATIONAL CENTER FOR BIOTECHNOLOGICAL INFORMATION.

NCBI's central goal is to grow new data innovations to help in the comprehension of essential sub-atomic and hereditary procedures that control wellbeing and infection. All the more particularly, the NCBI has been accused of making robotized frameworks for putting away and breaking down learning about atomic science, organic chemistry, and hereditary qualities; encouraging the utilization of such databases [39-41]and programming by the examination and medicinal group.

TOOLS EMPLOYED:

➤ **POWER (PHYLOGENETIC WEB REPEATOR):**

Phylogenetic WEb Repeater (POWER), a web-based service, is designed to perform *phylogenetic analysis* of proteins and DNA sequences.

The process starts with a multiple sequence alignment and builds a dendrogram based on well-established methods, *ClustalW* and *PHYLIP*. With a succinct interface for sequence input, one can draw the tree effortlessly using the default setting or with fewer modification on parameters.

When fine-tuning is needed, user can repeat easily with adding or deleting sequences of previous job.

➤ **PHYLOGENY.fr:**

Phylogeny.fr has been designed to provide a high performance platform that transparently chains programs relevant to phylogenetic analysis in a comprehensive and flexible pipeline. Although phylogenetic aficionados will be able to find most of their favorite tools and run sophisticated analysis, the primary philosophy of Phylogeny.fr is to assist biologists with no experience in phylogeny in analyzing their data in a robust way.

➤ **BIOLOGY WORKBENCH 3.2:**

The Biology WorkBench 3.2 gives a point and snap interface for fast access of natural databases and investigation devices. The Biology Workbench was initially created by the Computational Biology Group at the National Center for Supercomputing Applications at the University of Illinois at Urbana-Champaign, and the progressing advancement of rendition 3.2 is occurring at the San Diego Supercomputer Center, at the University of California, San Diego. The improvement was and is coordinated by Professor Shankar Subramaniam, at present of UC-San Diego. The Biology Workbench is as of now bolstered and created by AndreiaMaer, Brian Saunders, and Roger Unwin. Previous designers of projects in the Biology Workbench 3.2 incorporate Dawn Cotter, Mike Farnum, Mike Parlee, Jim Fenton, Amy Stephens, Mark Whitsitt, Geoff Mann, and Jim Miller.

METHODOLOGY

Phylogenetic tree construction:

Step 1: Retrieve the sequence of zebra, horse, humans and zebrafish from NCBI.

Step 2: Align these sequences using online tool phylogeny.fr in CLUSTAL W.

Step 3: Save this aligned sequence in PHYLIP format in a notepad file.

Step 4: Now go to online software POWER-Phylogenetic Web Repeater.

Step 5: Upload the file containing the aligned sequence and fill in the necessary details.

Step 6: Now you will get the phylogenetic tree for the given sequences.

Multiple sequence alignment:

Step 1: Retrieve the DNA sequence of zebrafish (*Daniorerio*) and humans (*Homo sapiens*) from NCBI.

Step 2: Save the DNA sequence in notepad.

Step 3: Go to the online software biology workbench 3.2.


Step 4: Do the appropriate steps and upload the two files containing the nucleotide sequence.

Step 5: Now select multiple sequence alignment using CLUSTAL-W.


Step 6: You will now get the output showing similarities between the sequence of zebrafish and humans

RESULT AND DISCUSSION

- ❖ The DNA sequence of horse, zebra, zebrafish and humans that were retrieved is aligned using CLUSTALW.



- ❖ The aligned sequence is used to construct tree between them using the software PHYLIP. The result shows that there is a phylogenetic link between humans and zebrafish.



- ❖ To verify this, multiple sequence alignment was done between the sequence of zebrafish and humans. The result shows the genetic similarities between zebrafish and humans.

```

gi_530395752_ref_XM_00525311  GAGCAGGAGCACCCTGGACAGATGAAGGCAATGATGCGCAAGATGA
gi_18859480_ref_NM_131777.1  *****
gi_530395752_ref_XM_00525311  AGGTGGCAACGGGGACTGAGCGAATA--TGACAGCGGTATTGAT--GA
gi_18859480_ref_NM_131777.1  AAAGGGCAACCTCGGGAGTTGGGACCTGGAGCAATGATGCTCAAA
*****
gi_530395752_ref_XM_00525311  GTAGATCCTTGGATT--CAGAGGTTG--GCTGAAGACGACGA--TGCTGCT
gi_18859480_ref_NM_131777.1  GCGGACTGCGGACACAAATTCACACTAAGCTCTGTCAGCTCTCTCAC
*****
gi_530395752_ref_XM_00525311  TCCATCTTTTGTCTGTAAAGTTGTGAATGCTCATGCTATAG--GGAG
gi_18859480_ref_NM_131777.1  ACTAAACTGAGCTATCGAGTC--CACTTCACCCCTGCAATGCGCGTG
*****
gi_530395752_ref_XM_00525311  GAGGATGGCACATGGGATTCCTTCTCAAGGCAAAATTACCATAA---CG
gi_18859480_ref_NM_131777.1  GAGAACCTGGGTGTAAGACGGCGGTGCAGGGAATGTGGCATGGGTCT
*****
gi_530395752_ref_XM_00525311  GTGGATGAGTACAGCTCAAAACCCACCCAGGCAATTCACGACCTACACAT
gi_18859480_ref_NM_131777.1  CAAGGCGAAGACGGGTACATGCTACCTCCCTGAGGAGAAACACAAAT
*****
gi_530395752_ref_XM_00525311  CACCTCAGCAGATTCAG-------CTCTCAGATGTACATATGTGAGC
gi_18859480_ref_NM_131777.1  CTTTCACAGACTCTCCAGACAGCTGCTGCTGCTGATTTGCGCAAC
*****
gi_530395752_ref_XM_00525311  CCATCCCATATGACACTCCAAA-----CCAGCGGGCCACACGCGGT
gi_18859480_ref_NM_131777.1  TTACAGCTGAGCGACAGGAGAGCTGTGTGAGGATTTGTGCGCGG
*****
gi_530395752_ref_XM_00525311  TTGTCTG--CATCTCAGACACACACTCCAGAACAGATGTATCCAGATGCC
gi_18859480_ref_NM_131777.1  ACGGCGGTGTGCCCGAGTTGGCATTAACCAAGAGCCTGTCACTCCAA
*****
gi_530395752_ref_XM_00525311  TTATGGGAGCA--TCCTTCTCCACACAGGCGATTTCACCGAGCTGGGACTG
gi_18859480_ref_NM_131777.1  GAAGAAAGGACAAATGCTTGTGTGCTACTCTACTGGATAAGATGACAAATG
*****
gi_530395752_ref_XM_00525311  CCTTCAGAGGTTAAGAGTTTAATGACTGGTTAGGAAACCT--GCCATAT
gi_18859480_ref_NM_131777.1  TACTCAAGGTTAAGGTATTAATGAGCCTGAGAGATCAAGAGAGGAG
*****

```

SUMMARY AND CONCLUSION

- ❖ 70 per cent of protein-coding human genes are related to genes found in the zebrafish (*Daniorerio*), and 84 per cent of genes known to be associated with human disease have a zebrafish counterpart.
- ❖ Highlights the importance of zebrafish as a model organism in human disease research.
- ❖ The zebrafish are remarkably biologically similar to people and share the majority of the same genes as humans, making them an important model for understanding how genes work in health and disease.[24-29]
- ❖ This genome will allow researchers to understand how our genes work and how genetic variants can cause disease in ways that cannot be easily studied in humans or other organisms.
- ❖ By modeling these human disease genes in zebrafish, we hope that resources worldwide will produce important biological information regarding the function of these genes and possibly find new targets for drug development.
- ❖ The phylogenetic evolution tree predicts the evolution of the given species.

REFERENCES

1. Nimal, R.J.G.R., Hussain, J.H., Effect of deep cryogenic treatment on EN24 steel, International Journal of Pure and Applied Mathematics, V-116, I-17 Special Issue, PP-113-116, 2017
2. Parameswari, D., Khanaa, V., Deploying lamport clocks and linked lists, International Journal of Pharmacy and Technology, V-8, I-3, PP-17039-17044, 2016
3. Parameswari, D., Khanaa, V., Case for massive multiplayer online role-playing games, International Journal of Pharmacy and Technology, V-8, I-3, PP-17404-17409, 2016
4. Parameswari, D., Khanaa, V., Deconstructing model checking with hueddot, International Journal of Pharmacy and Technology, V-8, I-3, PP-17370-17375, 2016
5. Parameswari, D., Khanaa, V., The effect of self-learning epistemologies on theory, International Journal of Pharmacy and Technology, V-8, I-3, PP-17314-17320, 2016
6. Pavithra, J., Peter, M., GowthamAashirwad, K., A study on business process in IT and systems through extranet, International Journal of Pure and Applied Mathematics, V-116, I-19 Special Issue, PP-571-576, 2017
7. Pavithra, J., Ramamoorthy, R., Satyapira Das, S., A report on evaluating the effectiveness of working capital management in googolsoft technologies, Chennai, International Journal of Pure and Applied Mathematics, V-116, I-14 Special Issue, PP-129-132, 2017
8. Pavithra, J., Thooyamani, K.P., A cram on consumer behaviour on Mahindra two wheelers in Chennai, International Journal of Pure and Applied Mathematics, V-116, I-18 Special Issue, PP-55-57, 2017
9. Pavithra, J., Thooyamani, K.P., Dkhar, K., A study on the air freight customer satisfaction, International Journal of Pure and Applied Mathematics, V-116, I-14 Special Issue, PP-179-184, 2017
10. Pavithra, J., Thooyamani, K.P., Dkhar, K., A study on the working capital management of TVS credit services limited, International Journal of Pure and Applied Mathematics, V-116, I-14 Special Issue, PP-185-187, 2017
11. Pavithra, J., Thooyamani, K.P., Dkhar, K., A study on the analysis of financial performance with reference to Jeppiaar Cements Pvt Ltd, International Journal of Pure and Applied Mathematics, V-116, I-14 Special Issue, PP-189-194, 2017
12. Peter, M., Dayakar, P., Gupta, C., A study on employee motivation at Banalari World Cars Pvt Ltd Shillong, International Journal of Pure and Applied Mathematics, V-116, I-18 Special Issue, PP-291-294, 2017
13. Peter, M., Kausalya, R., A study on capital budgeting with reference to signware technologies, International Journal of Pure and Applied Mathematics, V-116, I-18 Special Issue, PP-71-74, 2017
14. Peter, M., Kausalya, R., Akash, R., A study on career development with reference to premheerasurgicals, International Journal of Pure and Applied Mathematics, V-116, I-14 Special Issue, PP-415-420, 2017
15. Peter, M., Kausalya, R., Mohanta, S., A study on awareness about the cost reduction and elimination of waste among employees in life line multispeciality hospital, International Journal of Pure and Applied Mathematics, V-116, I-14 Special Issue, PP-287-293, 2017

16. Peter, M., Srinivasan, V., Vignesh, A., A study on working capital management at deccan Finance Pvt Limited Chennai, International Journal of Pure and Applied Mathematics, V-116, I-14 Special Issue, PP-255-260, 2017
17. Peter, M., Thooyamani, K.P., Srinivasan, V., A study on performance of the commodity market based on technical analysis, International Journal of Pure and Applied Mathematics, V-116, I-18 Special Issue, PP-99-103, 2017
18. Philomina, S., Karthik, B., Wi-Fi energy meter implementation using embedded linux in ARM 9, Middle - East Journal of Scientific Research, V-20, I-12, PP-2434-2438, 2014
19. Philomina, S., Subbulakshmi, K., Efficient wireless message transfer system, International Journal of Pure and Applied Mathematics, V-116, I-20 Special Issue, PP-289-293, 2017
20. Philomina, S., Subbulakshmi, K., Ignition system for vehicles on the basis of GSM, International Journal of Pure and Applied Mathematics, V-116, I-20 Special Issue, PP-283-286, 2017
21. Philomina, S., Subbulakshmi, K., Avoidance of fire accident by wireless sensor network, International Journal of Pure and Applied Mathematics, V-116, I-20 Special Issue, PP-295-299, 2017
22. Pothumani, S., Anuradha, C., Monitoring android mobiles in an industry, International Journal of Pure and Applied Mathematics, V-116, I-20 Special Issue, PP-537-540, 2017
23. Pothumani, S., Anuradha, C., Decoy method on various environments - A survey, International Journal of Pure and Applied Mathematics, V-116, I-10 Special Issue, PP-197-199, 2017
24. Pothumani, S., Anuradha, C., Priya, N., Study on apple iCloud, International Journal of Pure and Applied Mathematics, V-116, I-8 Special Issue, PP-389-391, 2017
25. Pothumani, S., Hameed Hussain, J., A novel economic framework for cloud and grid computing, International Journal of Pure and Applied Mathematics, V-116, I-13 Special Issue, PP-5-8, 2017
26. Pothumani, S., Hameed Hussain, J., A novel method to manage network requirements, International Journal of Pure and Applied Mathematics, V-116, I-13 Special Issue, PP-9-15, 2017
27. Pradeep, R., Vikram, C.J., Naveenchandra, P., Experimental evaluation and finite element analysis of composite leaf spring for automotive vehicle, Middle - East Journal of Scientific Research, V-12, I-12, PP-1750-1753, 2012
28. Pradeep, R., Vikram, C.J., Naveenchandran, P., Experimental evaluation and finite element analysis of composite leaf spring for automotive vehicle, Middle - East Journal of Scientific Research, V-17, I-12, PP-1760-1763, 2013
29. Prakash, S., Jayalakshmi, V., Power quality improvement using matrix converter, International Journal of Pure and Applied Mathematics, V-116, I-19 Special Issue, PP-95-98, 2017
30. Prakash, S., Jayalakshmi, V., Power quality analysis & power system study in high voltage systems, International Journal of Pure and Applied Mathematics, V-116, I-19 Special Issue, PP-47-52, 2017

31. Prakash, S., Sherine, S., Control of BLDC motor powered electric vehicle using indirect vector control and sliding mode observer, International Journal of Pure and Applied Mathematics, V-116, I-19 Special Issue, PP-295-299, 2017
32. Prakesh, S., Sherine, S., Forecasting methodologies of solar resource and PV power for smart grid energy management, International Journal of Pure and Applied Mathematics, V-116, I-18 Special Issue, PP-313-317, 2017
33. Prasanna, D., Arulselvi, S., Decoupling smalltalk from rpcs in access points, International Journal of Pure and Applied Mathematics, V-116, I-16 Special Issue, PP-1-4, 2017
34. Prasanna, D., Arulselvi, S., Exploring gigabit switches and journaling file systems, International Journal of Pure and Applied Mathematics, V-116, I-16 Special Issue, PP-13-17, 2017
35. Prasanna, D., Arulselvi, S., Collaborative configurations for wireless sensor networks systems, International Journal of Pure and Applied Mathematics, V-116, I-15 Special Issue, PP-577-581, 2017
36. Priya, N., Anuradha, C., Kavitha, R., Li-Fi science transmission of knowledge by way of light, International Journal of Pure and Applied Mathematics, V-116, I-9 Special Issue, PP-285-290, 2017
37. Priya, N., Pothumani, S., Kavitha, R., Merging of e-commerce and e-market-a novel approach, International Journal of Pure and Applied Mathematics, V-116, I-9 Special Issue, PP-313-316, 2017
38. Raj, R.M., Karthik, B., Effective demining based on statistical modeling for detecting thermal infrared, International Journal of Pure and Applied Mathematics, V-116, I-20 Special Issue, PP-273-276, 2017
39. Raj, R.M., Karthik, B., Energy sag mitigation for chopper, International Journal of Pure and Applied Mathematics, V-116, I-20 Special Issue, PP-267-270, 2017
40. Raj, R.M., Karthik, B., Efficient survey in CDMA system on the basis of error revealing, International Journal of Pure and Applied Mathematics, V-116, I-20 Special Issue, PP-279-281, 2017
41. Rajasulochana, P., Krishnamoorthy, P., Ramesh Babu, P., Datta, R., Innovative business modeling towards sustainable E-Health applications, International Journal of Pharmacy and Technology, V-4, I-4, PP-4898-4904, 2012
42. Rama, A., Nalini, C., Shanthi, E., An iris based authentication system by eye localization, International Journal of Pharmacy and Technology, V-8, I-4, PP-23973-23980, 2016
43. Rama, A., Nalini, C., Shanthi, E., Effective collaborative target tracking in wireless sensor networks, International Journal of Pharmacy and Technology, V-8, I-4, PP-23981-23986, 2016
44. Ramamoorthy, R., Kanagasabai, V., Irshad Khan, S., Budget and budgetary control, International Journal of Pure and Applied Mathematics, V-116, I-20 Special Issue, PP-189-191, 2017
45. Ramamoorthy, R., Kanagasabai, V., Jivandan, S., A study on training and development process at Vantec Logistics India Pvt Ltd, International Journal of Pure and Applied Mathematics, V-116, I-14 Special Issue, PP-201-207, 2017

