



ORGANIZING DISASTER RELIEF OPERATIONS USING SMART PHONE/PDA BASED PEER-TO-PEER COMMUNICATION

Dr.K.Kiran Reddy¹, M.Pallavi²,
K.Neeraja³, T. Jagadeesh⁴

¹Professor, Dept of CSE,
MLR Institute of Technology,
kiran_kolanu@yahoo.co.in

² Asst.Professor, Dept of CSE,
MLR Institute of Technology and Management,
pallavireddy248@gmail.com

³ Professor,Dept of CSE,
MLR Institute of Technology,
kneeraja123@gmail.com

⁴ Asst.Professor, Dept of CSE,
Koneru Lakshmaiah Education Foundation,
tumatijagadeesh@gmail.com

June 12, 2018

Abstract

Amid any post-catastrophe period, the accessibility of the Internet is discounted by and large; cell phones are just mostly usable in some chose districts. Hopeful gadgets for keeping up negligible administrations are for the most part costly satellite telephones or concentrated point-to-point radio correspondence frameworks. As

correspondence frameworks wind up noticeably disabled, so do the administration of the alleviation operations. One of the normal issues amid catastrophes is that the save and alleviation operations are not very much planned. Therefore, there is a requirement for a framework that will help in the effective circulation of save and alleviation to debacle influenced regions. The goal of this paper is to propose an advanced cell/PDA construct catastrophe administration framework based with respect to shared correspondence just and supporting disengaged operation.

Keywords: Peer-to-Peer Communication, Opportunistic Network, Delay-tolerant network.

1 INTRODUCTION

Any expansive scale catastrophes like surge and typhoon have extreme effect on correspondence foundation. Administrations that are depended on for regular interchanges (e.g., wireless/web network) instantly move toward becoming non-practical in crisis circumstances because of the disappointment of the supporting foundation through both framework harm and framework abuse [1]. As opposed to the helpless settled system foundation, it is likely that battery-fueled remote individual versatile specialized gadgets (PDA, PDAs) will make due in calamities. Also, much more cell phones will be conveyed to the scene by help specialists. Such gadgets are, hence, encouraging contender to contribute in framing shared remote system structure to help fiasco correspondence.

In any case, end-to-end availability can never be accepted in this sort of situation and long disengagements are the run the show. Therefore, in this unique situation, the gadgets (PDA, PDAs) spread over nature by help laborers frame distributed system, but detached. In this kind of systems, the versatility of gadgets is an open door for correspondence as opposed to a test. Portable hubs speak with each other in distributed mode.

2 RELATED WORK

In fiascos, it is important to have built up systems for acquiring extra assets when they are required. In any case, unpredictable solicitations for assets can be adverse. Numerous calamities are confounded by the over-reaction of assets, and this can significantly muddle the officially troublesome issues of coordination and correspondence. Methodology for pinpointing the particular sorts and quantities of assets required are useful in making the calamity reaction more sensible. Fiascos with various effect destinations and expansive, complex calamities regularly require a crisis operations focus (EOC) (Erik, 1989) [4]. The EOC or Central Control Station is typically settled far from the catastrophe scene, regularly close administrative workplaces as opposed to the charge post, which is worried about exercises at the scene, the EOC builds up needs for the circulation of assets among the different destinations, and handles off-occurrence concerns. This is fundamentally a brought together framework for controlling fiasco alleviation administration. In any case, a noteworthy concern is the availability amongst EOC and the safe house focuses in the field.

The coordination technique permits conveying assets to the casualties that need the most critical save. The correspondence system accentuates data stream concerning calamity casualties. Bunch construct Communications System centers in light of the essential requirement for giving interchanges office to the casualties, quickly after the catastrophe and preceding the entry of safeguard groups (Sonia, 2009) [7]. The proposed novel approach in crisis correspondences empowers survivors to convey among themselves and help each other. Here, the possibility of a self arranging specially appointed system is advanced, which makes utilization of accessible system assets formally involved by the crushed and/or harmed media transmission framework. In post-catastrophe situation, versatile hubs set up a self-sorting out/impromptu system which gives basic level of correspondences among debacle casualties required around then and therefore tries to converge with some surviving broadcast communications foundation and/or organize conveyed by save groups. Be that as it may, contingent upon the idea of catastrophe, an associated

specially appointed system may never be framed, and along these lines correspondence among casualties can't be set up.

3 SYSTEM ARCHITECTURE

3.1 System Description

Amid calamity, casualties of a town/territory typically take shields in bunches in some close-by safe zones (for instance, some school structures, Army-Police camp and Panchayet Offices in some good country regions, and so forth.). Along these lines, coordination of post-fiasco alleviation operations and appropriation of assets are protect driven (figure 2) through the help specialists working at those asylums (figure 3). These alleviation specialists are trading their essence, field data and asylums prerequisites by utilizing their advanced mobile phones in a sharp system. These safe houses are worked by a Shelter Coordinator who will intermittently facilitate with closest alleviation laborers self-governingly to analyze field need and illuminating asylum require through PDA. Another part of asylum organizer is to control the route example of adjacent help laborers with a goal to spread the data to different safe houses and inevitably to Central server. In this way the data permeates from bring down layer to upper layer through help laborers.

3.2 Development of Smart telephone based Opportunistic Network

In the decentralized Disaster Management situation, help laborers are trading their essence, field data and havens necessities by utilizing their advanced mobile phones in a sharp system. Pioneering system as one kind of tested systems where arrange contacts are irregular or where interface execution is exceptionally factor or extraordinary. In such a system, there does not exist a total way from source to goal for more often than not. Furthermore, the way can be very insecure and may change (represent the moment of truth) rapidly. In this way, so as to make correspondence conceivable in a deft system, the middle

hubs may take authority of information amid the power outage and forward it when the availability resumes. Subsequently, in this unique situation, Opportunistic Network structure [2, 3] gives potential stage to data correspondence. In pioneering systems, the gadgets (PDA, mobile phones) spread over nature by alleviation laborers and frame the system. In this sort of systems, the versatility of gadgets is an open door for correspondence as opposed to a test. Versatile hubs speak with each other regardless of the possibility that a conclusion to-end course interfacing them never exists. Any hub can deftly be utilized as the following bounce, on the off chance that it is probably going to convey the message nearer to the destination(s).

In a fundamental paper in Physical Review Letters, Vics et al.[13, 14] propose a straightforward model of n self-ruling operators moving in the plane with a similar speed yet with various headings. Every specialist's heading is refreshed utilizing a nearby govern in light of the normal of its own heading in addition to the headings of its "neighbors." In their paper, Vicsek et al. shown that the closest neighbor manage can make all specialists in the long run move a similar way in spite of the nonappearance of incorporated coordination and regardless of the way that every operator's arrangement of closest neighbors change with time as the framework advances. Different investigations likewise show that multi-operator frameworks that cooperate through closest neighbor principles can synchronize their states paying little mind to the span of correspondence delays [15]. We have connected this idea in our framework and the execution assessment comes about demonstrate the adequacy of our approach.

3.3 Decentralized Information Assimilation Coordination

In this situation the data produced on distributed premise between help laborers and static haven focuses by utilizing sharp system. This data permeates from bring down layer to upper layer through safe house having a place with same bunch (figure 5).

The static sanctuary facilitator sends data by utilizing Smart Phone to closer help specialist. This data contains sender ID, area and sending time which will audit the data time and recognizable

proof status. Help specialist additionally has the choice to forward that got data from shield organizer to another alleviation laborer by refreshing its piece of data like:

This is an irregular procedure by which the aggregate data permeates to whole calamity area. It will make a standard information base on which a particular programming model can be set up for recovering required data by separating this. Help specialists will get a choice to spare the got messages on its telephone and by sparing all these data, there will make an expansive information base for them where the data will consequently be refreshed by sparing it and rehashed data will naturally get eradicated.

The isolation of work will institutionalize the example of dissemination and correspondence in a decentralized debacle condition. In any case, there is no settled system set up in the hazardous situation.

4 SIMULATION

4.1 Simulation set up

We are interested in studying a post disaster scenario in which the resources and aid can effectively be distributed to the shelters being formed amidst the disaster affected area. The environment consists of few entities of our concern that are essential in studying the scenario. They are the volunteers or relief workers which co-ordinately achieve some tasks and form the only medium for dispersion of information throughout the affected area. There are fixed locations or relief camps at certain points known as shelters where victims take shelter and it is their needs that the volunteers ensure to fulfil. There is a fixed location outside the affected site known as the Check-in-Area (CA) from which coordinated and centralized relief operations are being monitored. There is no direct network connectivity among CA and shelter points. Next we have another static entity known as the fixed Central Server which acts as a resource pool and a medium to connect to the outside world. CA and Central Server also have no network connectivity.

4.2 Simulation parameters

1. The proposed scheme is evaluated on a simulated environment by varying key parameters related to the model to study and estimate the efficiency and uniformity of resource distribution against time-ticks.
2. In the simulation, the environment to be studied is assumed to be an area of 10 k.m. x 10 k.m. in which mobile volunteers are initially distributed randomly. However, the affected site is considered to be a rectangular area of size 10 k.m. x 4 k.m. in which all the shelters are present.
3. For all cases we have kept the shelter count constant and it equals 10. All the simulated actions are associated with time-ticks.
4. In the Repast platform, ticks are considered as a unit of time; we have assumed 1 tick equals 1 minute and hence the speed of movement of individual volunteers is considered to be 100 meters per minute.

4.3 Simulation environment overview

1. The volunteers move randomly at the beginning.
2. As indicated, each shelter has either positive or negative resource. Each shelter autonomously decrements the resource-count periodically (self-decrement of resource-count),
3. indicating that victims present at the shelters are consuming resources and the net resource- count at each shelter decreases randomly with time.

4.4 Simulation results

Figure shows the individual resource status of the shelters in the affected area w.r.t. time- ticks.

This graph is a direct consequence of the simulation with number of volunteers and shelters set at 20 and 10 respectively.




Figure 1: Resource distribution at all shelters in the affected area

The shelters possess self-decrement of resources which means there is a demand for resources at the shelters. The central station is assumed to be situated at an approximate distance of 3 kilometres from the affected area.

It is deduced from the graph that initially there is a huge demand and it increases with the time-ticks till 250 to 300 ticks. Before this time the volunteers were busy discovering the unknown shelters that were formed previously in the affected area.



Figure 2: Screenshot of a simulation taken at time tick = 250. The volunteer and shelter counts at the field is set to 20 and 10 respectively. The boundary specifies our area of interest and measures 10 kilometres x 10 kilometres.

Next we have figure 3 which shows the perception of resources by the central station at the affected area after it supplied the

resources vs. the actual resources present at the area.




Figure 3: Perception of resources at affected area by central station after supplying the Resources vs. Actual resources present at the area

Number of volunteers working in the affected area and the number of shelters are 20 and 10 respectively. The distance between the central station and the affected area is moderate. This graph refers to the same simulation with the same conditions as graph of figure 8.

Initially the central station assumes that the sum total of all resources at shelters (if any) is 0, before they are discovered. As the volunteers discover the shelters and notify the central station of the demands, the Central Station updates its own list accordingly.

5 CONCLUSION

From above simulation results we come to a conclusion that I we have proposed an effective scheme of providing a coordinated post disaster relief operation.

References

- [1] H. Luo, R. Kravets, T. Abdelzaher, The-Day-After Networks: A First-Response Edge-Network Architecture for Disaster Relief, NSF NeTS FIND Initiative, 2006-2010. <http://www.nets-find.net/Funded/DayAfterNet.php>.
- [2] Marco Conti, Mohan Kumar: Opportunities in Opportunistic Computing. IEEE Computer 43(1): 42-50 (2010)
- [3] Conti, M.; Giordano, S.; May, M.; Passarella, A.; From opportunistic networks to opportunistic computing, IEEE Communications Magazine, IEEE , Volume: 48 Issue:9, Sept. 2010
- [4] [Erik Auf der Heide, 1989]. Disaster Response - Principles of Preparation and Coordination, Publisher: Elsevier-Medical, 1989, p. 303
- [5] [Gorp, 2008]. Annemijn van Gorp et al, "VSAT Deployment for Post-Disaster Relief and Development: Opportunities and Constraints for Inter-Organizational Coordination among International NGOs", 17th Biennial Conference, 2008.

