

A Survey -Event Detection using Machine Learning Approach in Cyber-Physical Systems

R.Raja priya*, S.Jayalakshmi**

*M.Phil Research Scholar, ** Assistant Professor

Department of Computer Applications, School Of Computing Sciences , VISTAS,
Chennai -600 117 , India

Email :rajipriguru@gmail.com, jai.scs@velsuniv.ac.in

Abstract: A systematic approach to extract knowledge from sensor data at different platforms plays the vital role in Data Mining Community to determine the intrusion detection in Cyber Physical Systems (CPS), which is used to assume that there may be harm in building or aviation vehicles, those harm will be detected using continuous or non-stop arriving data. In the Existing methodology exhaustive Data Mining Framework, which uses Differential Sensor Pattern (DSP) for Intrusion detection, DP miner has been used which greatly reduces the energy for calculation and correspondence in the CPS, the different pattern of sensors is being extracted that can have event information in a low communication cost but it can validate actual data only on lower data analysis whereas, for big data it cannot be sensed accurately. In order to achieve accuracy in big data environments, a differential sensor mining technique in the machine learning approach is been proposed for handling continuous quality improvement in event detection and it will useful for many CPS applications.

Keywords: *Cyber-Physical Systems (CPS), Data Mining, Event Detection.*

I. INTRODUCTION

Cyber-physical frameworks (CPSs) mix those learning What's more innovations of the third wave from claiming data processing, correspondence What's more registering with the learning innovations of physical artifacts and engineered frameworks [1]. It appears to make a concurrence in the written works on the reality

and the what's more learning of cyber-physical frameworks would not mono-disciplinary. However, it is a present debated if this discipline may be inter-disciplinary, multi-disciplinary, and alternately trans-disciplinary in nature. Backers of the inter-disciplinary perspective contend that those missions from claiming CPSs science Furthermore, engineering organization is to make a span the middle of the two constituent learning domains, in particular the internet and the physical space. [2].

This argumentation appears on make right since the majority of the data what's more communication science and technologies, on the personal side, and physical framework science and technologies, on the other side, would epistemologically and methodologically different. The delegates of the multi-disciplinary stance claim that the science, technology about CPSs out further synthesize the information and routines about the foundational physical, biological, building What's more data sciences, What's more if create a thorough science for CPSs. Those supporters of the trans-disciplinary elucidation case that once those sciences from claiming CPSs gives far extensive learning for implementation, the order if concentrate on giving requisition area free architectures What's more advances to fabricating useful cyber-physical artifacts and providing domain-orientated benefits [3]. To achieve all these objectives, it can be taken as the mission of the science of CPSs. The objectives of the discipline of CPSs are:

- Mixing the information for different domains under a steady figure from claiming information with the goal as to underpin it peruses the fundamental standards about natural, formal, technical, social also human sciences.
- Creating a system-level understanding Furthermore, theoretical frameworks from family of systems.

The principle Look into topics would, for example, such that framework structure identification, advantageous interaction of physical and digital framework parts, combination from claiming empowering technologies, framework conduct analysis, self-sufficient system operation, ongoing framework control Also self-control, keen framework behaviour, non-deterministic scenarios and protocols, Also standards for next-generation usage. Likewise a whole, the order appears on a chance to be rather adolescent Also will be at present anguish starting with some degree unconsolidated, whether not confusing, wording. Test exploration On CPSs, and in addition prototyping-based testing would confront experimental limits due to those vast scales, spatial distribution, inalienable complexity, prevailing heterogeneity and inserted nature. The idea and the term 'cyber-physical systems' popped dependent upon a percentage ten quite some time prior to the use[4].

To Europe those same sort What's more manifestations for frameworks are named Possibly Likewise 'The Internet-of-Things'. [5], 'Web of Things', or as 'cooperative adaptive systems'.

Those expositive expressions reflects a huge number of terms (such as, 'smart universal systems', 'deeply embedded systems', 'software-intensive systems', 'hybrid automata', sensor-actuator networks, M2M (OECD), which attempt to indicate the same concept, setting accentuation once specific parts (e. G. Functionality, implementation, and applications) about complex frameworks that determinedly incorporate digital What more physical parts. [6].

The utilization for different terms Eventually Tom's perusing Different scientists

raises those inclinations that they need aid working once a totally distinctive field, However, truth be told, they deliver the same alternately fundamentally the same issues What more aspects about CPSs. Hypothetical examination in this area about premium will be even now really scattered What's more not streamlined. Actually, that expositive expression reveals to a huge number about models, also those mixtures of reference frameworks. There would vastly contrasts in the approaches, innovative work efforts, also subsidizing projects in Europe, USA and Japan. The inspiration for our foundation investigates went starting with two perceptions. Our far reaching expositive expression study investigated that an expansive number about papers examines Also contributes to exactly particular parts about utilitarian frameworks, technologies, data flows, usage and requisitions of CPSs.

II. PURPOSE OF MACHINE LEARNING:

The application of artificial intelligence includes the concept of machine learning. It is not specially programmed instead it provide the learning ability to the system automatically [7]. The Machine learning mainly concentrates on the improvement of computer programs which make utilization of data for learning themselves.

Machine Learning algorithms are arranged under three categories. One is supervised algorithm, and another is unsupervised algorithm and the final one is reinforcement learning [8].

Supervised learning maps inputs to the desired output. Unsupervised learning is mostly used for complex tasks. In reinforcement learning, machines are trained to take decisions at critical environment or situation.

Patterns recognition Using Machine Learning:

Machine learning converts human decision making process into algorithms. A good example to explain about machine learning, working is online purchase. Based upon the customer reviews, the particular product is purchased. Thus reviews help to make decisive

action based on “pattern “of words exist in the product reviews.




Fig 1. Block Diagram of Machine Learning Approach

For (supervised) classification and regression (the most common tasks):

- Algorithm selection: Choose an algorithm.
- Feature selection: Choose features that capture the important characteristics of the system.
- Training/model building: Use part of the labeled set to build the model
- Parameter optimization (cross-validation): Optimize the parameters using a second part of the labeled set to minimize the error rate.
- Validation: Use the remainder of the dataset to validate and assess the performance of the tuned model
- Apply the Algorithm

EXAMPLE:

“Medical Monitoring- Post Operative Analytics”:

After an operation, Patients can usually go through the recovery or rehabilitation process where they must follow certain strict routine. That will do by using sensors.

After the major surgery as per instruction from surgery patients should maintain a fixed position or else if the patients supposed to fall down. That's the position level will be monitored (MEMS Sensor) .MEMS generally consists three positions like x, y, z.

If the changes will be in the position means that will be updating through a web server. Because of this updation nurses or Ward in charge can get alerted without direct monitoring.

The abbreviation of GSR is a Galvanic Skin Response which measures the electrical conductance of the skin. Very Strong emotions may affect the sympathetic nervous system. Due to this condition can able to know the Pain or stress level (GSR Sensor) which arose after involved in surgery will be viewed through the web page. Not only web page updating can give alert through buzzer also.

If the sensor data is not received into the cloud means the doctor or representative person cannot able to monitoring the patient health frequently. So that patient can be affected by unwanted pain or any other factors. So that our machine-learning approach will guide to rectify/ notify the problem like sensor failure, controller board failure, internet connection lost.




Fig 2: Health monitoring unit using Sensors.

III. RESEARCH SURVEY

REFERENCE PAPER	DESCRIPTION	ALGORITHMS USED	EVALUATION
Adaptive layered approach using machine learning techniques with gain ratio for intrusion detection systems.	- In this paper, An multi-layer interution detection model will be planned and created to attain effectiveness which improves the detection and classification rate accuracy. - Machine learning techniques (C5 decision tree, Multilayer Perceptron neural system Also Naïve Bayes) need been connected utilizing gain ratio to selecting the best Characteristics for each layer to utilize smaller storage space and get higher intrusion detection.	Machine Learning Approach like C5 decision tree , Multilayer perceptron neural network and Naive Bayes are used which produces High intrusion performance.	Only C5 eliminates false alarm rate for MLP. Other algorithms face difficulty to eliminate False alarm rate for MLP.
Machine learning-based CPS for clustering high throughputmachini ng cycle conditions	- In this paper, unsupervised machine learning algorithms in cyber-physical systems are the key features to work towards highly precise diagnosis tools. - In case of clustering techniques, the Gaussian mixture model is used and also provides optimal solution in terms of interpretation by machine tool experts. - The agglomerative hierarchical algorithm is used to determine cycle phases. K means as same as agglomerative hierarchical algorithm to inherit variables.	Gaussian mixture model. The agglomerative algorithm and K-means clustering are used.	No importance shown to upgrade CPS embedded electronics which enables the algorithm to implement on its FPGA.
Event detection through Differential Pattern mining in Cyber Physical Systems.	- In this paper, DP miner, an exhaustive data mining framework for using in wireless sensors which performs in a distributed and parallel manner and it is able to extract a pattern of sensors that have event information. - DP Miner can greatly reduce the energy for computation and communication in the Cyber Physical Systems.	DP miner and Differential Sensor Mining technique is used.	Differential Sensor Mining Technique faces difficulty in analysing big data in MLP.

IV. CONCLUSION

Thus, in this survey several algorithms like Ananomy detection, Gaussian mixture model, agglomerative hierarchical algorithm and K-means clustering are surveyed for supporting big data analysis. Hence Machine Learning Approach used to extract knowledge from sensor data at various platforms which performs well in critical environment in the data mining field to figure out those event identifications in Cyber-Physical Systems (CPS) contrasting with the differential sensor pattern (DSP). The implementation of C5, decision tree will help to detect the damage or event. High predictive results can achieve by using the C5 decision tree and other suitable algorithm is the future enhancement of this survey.

REFERENCES

1. "Adaptive Layered Approach using Machine Learning Techniques with Gain Ratio for Intrusion Detection Systems", Heba Ezzat Ibrahim et al International Journal of Computer Applications (0975 – 8887) Volume 56– No.7, October 2012
2. "Machine learning-based CPS for clustering high throughput machining cycle conditions", Javier Diaz-Rozoa,b*, Concha Bielzab, Pedro Larrañaga open access article 2017
3. "Event Detection through Differential Pattern Mining in Cyber-Physical Systems", Md Zakirul Alam Bhuiyan, Member, IEEE, Jie Wu, IEEE transactions on big data, 2017
4. B. Sharma, I. Franjo, N.-M. Alexandru, C. Haifeng, and. Guofei, "Modeling and analytics for cyber-physical systems in the age of big data," SIGMETRICS Perform. Evaluation Review, vol. 41, no. 4, pp. 74–77, 2014.
5. G. Spezzano and A. Vinci, "Pattern detection in cyber-physical systems," *Procedia Computer Science*, vol. 52, no. 2015, pp. 1016–1021, 2015. O. Niggemann¹, G. Biswas, J. S. Kinnebrew, H. Khorasgani, S. Volgmann, and A. Bunte,
6. "Data-driven monitoring of cyberphysical systems leveraging on big data and the internet-of-things for diagnosis and control," in *Proceedings of the 26th International Workshop on Principles of Diagnosis*, 2015, pp. 185–192.
7. <https://www.techopedia.com/definition/8181/machine-learning>.
8. [What is.techtarget.com/definition/machine-learning](http://whatis.techtarget.com/definition/machine-learning).
9. Jensen, T. D., Jensen, F.V., and Nielsen. (2001). "Bayesian networks and decision graphs," Springer, Berlin,
10. Amor, N. B., Benferhat, S., and Elouedi, Z. (2003). Naive Bayesian networks in intrusion detection systems. In *Proc. Workshop on Probabilistic Graphical Models for Classification*, 14th European Conference on Machine Learning (ECML) and the 7th European Conference on Principles and Practice of Knowledge Discovery in Databases (PKDD), Croatia.

